



Environmental and Laboratory Services

Dover Location:
90 1/2 West Blackwell St., Dover, NJ 07801
Phone: (973) 989-0010, Fax (973) 989-0156

Marlboro Location:
8A Railroad Ave, Marlboro, NJ 07746
Phone: (732) 308-3500, Fax (732) 308-3503

Date: March 22, 2022
Client: Jefferson Township BOE
Address: 31 NJ-181
Lake Hopatcong, NJ 07849

Analytical Results

PWSID#:
Project Location: 121 B East Shawnee Trail, Wharton

Sample Matrix: Drinking Water Lab Sample Number: 211026037-001
Sample Location: Field Blank Customer Sample Number:
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:05

Table with 10 columns: Parameters, Method, Results, Units, NJDEP Limit, Date Analyzed, Time Analyzed, Analyst, Reporting Limit, Dilution Factor. Row 1: Lead-1st Draw, SM3113B, < 2.00, µg/L, 15, 3/15/2022, 13:08, JGW, 2, 1

Sample Matrix: Drinking Water Lab Sample Number: 211026037-002
Sample Location: JTAS-BR-SINK ART RM100-1 Customer Sample Number:
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:06

Table with 10 columns: Parameters, Method, Results, Units, NJDEP Limit, Date Analyzed, Time Analyzed, Analyst, Reporting Limit, Dilution Factor. Row 1: Lead-1st Draw, SM3113B, 117 **, µg/L, 15, 3/15/2022, 13:21, JGW, 20, 10

Sample Matrix: Drinking Water Lab Sample Number: 211026037-004
 Sample Location: JTAS-DW-RM108-3 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:08

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	15.6 **	µg/L	15	3/15/2022	13:27	JGW	2	1

Sample Matrix: Drinking Water Lab Sample Number: 211026037-005
 Sample Location: JTAS-WF-LEFT-4 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:09

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
1-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	13:32	JGW	2	1

Sample Matrix: Drinking Water Lab Sample Number: 211026037-007
 Sample Location: JTAS-DW-RM109-6 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:12

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	52.8 **	µg/L	15	3/15/2022	13:49	JGW	8	4

Sample Matrix: Drinking Water Lab Sample Number: 211026037-009
 Sample Location: JTAS-NS-SINK1-8 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:15

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	6.86	µg/L	15	3/15/2022	14:05	JGW	2	1

Sample Matrix:	Drinking Water	Lab Sample Number:	211026037-010							
Sample Location:	JTAS-NS-SINK2-9	Customer Sample Number:								
Sampled By:	D. Diaz									
Sample Date/Time:	3/11/2022 6:16									
Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor	
Lead-1st Draw	SM3113B	6.74	µg/L	15	3/15/2022	14:11	JGW	2	1	

Sample Matrix:	Drinking Water	Lab Sample Number:	211026037-011							
Sample Location:	JTAS-NS-BRSINK-10	Customer Sample Number:								
Sampled By:	D. Diaz									
Sample Date/Time:	3/11/2022 6:17									
Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor	
4-1st Draw	SM3113B	2.84	µg/L	15	3/15/2022	14:16	JGW	2	1	

Sample Matrix:	Drinking Water	Lab Sample Number:	211026037-012							
Sample Location:	JTAS-DW-RM250-11	Customer Sample Number:								
Sampled By:	D. Diaz									
Sample Date/Time:	3/11/2022 6:18									
Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor	
Lead-1st Draw	SM3113B	13.3	µg/L	15	3/15/2022	14:27	JGW	2	1	

Sample Matrix:	Drinking Water	Lab Sample Number:	211026037-013							
Sample Location:	JTAS-KC-HW-SINK-12	Customer Sample Number:								
Sampled By:	D. Diaz									
Sample Date/Time:	3/11/2022 6:19									
Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor	
Lead-1st Draw	SM3113B	13.4	µg/L	15	3/15/2022	14:33	JGW	2	1	

Sample Matrix: Drinking Water Lab Sample Number: 211026037-014
 Sample Location: JTAS-KC-DW-SINK-13 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:20

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	8.22	µg/L	15	3/15/2022	14:38	JGW	2	1

Sample Matrix: Drinking Water Lab Sample Number: 211026037-015
 Sample Location: JTAS-WF-BR-14 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:22

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	69.6 **	µg/L	15	3/15/2022	14:55	JGW	8	4

Sample Matrix: Drinking Water Lab Sample Number: 211026037-016
 Sample Location: JTAS-DW-RM107-15 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:25

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	14.4	µg/L	15	3/15/2022	15:00	JGW	2	1

Sample Matrix: Drinking Water Lab Sample Number: 211026037-017
 Sample Location: JTAS-DW-RM105-16 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:26

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	9.48	µg/L	15	3/15/2022	15:16	JGW	2	1

Sample Matrix: Drinking Water Lab Sample Number: 211026037-021
 Sample Location: JTAS-DW-RM106-20 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:32

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	8.75	µg/L	15	3/15/2022	15:22	JGW	2	1

Sample Matrix: Drinking Water Lab Sample Number: 211026037-023
 Sample Location: JTAS-DW-RM104-22 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:34

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	20.5 **	µg/L	15	3/15/2022	15:27	JGW	2	1

Sample Matrix: Drinking Water Lab Sample Number: 211026037-024
 Sample Location: JTAS-WF-LEFT-23 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:37

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	15:33	JGW	2	1

Sample Matrix: Drinking Water Lab Sample Number: 211026037-025
 Sample Location: JTAS-WF-RIGHT-24 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:38

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	15:39	JGW	2	1

Sample Matrix: Drinking Water Lab Sample Number: 211026037-026
 Sample Location: JTAS-TL-DW-RM 302-25 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:39

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.66	µg/L	15	3/15/2022	16:11	JGW	2	1

Sample Matrix: Drinking Water Lab Sample Number: 211026037-027
 Sample Location: JTAS-WF-LEFT-26 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:42

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	16:17	JGW	2	1

Sample Matrix: Drinking Water Lab Sample Number: 211026037-028
 Sample Location: JTAS-WF-RIGHT-27 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:43

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	16:22	JGW	2	1

Sample Matrix: Drinking Water Lab Sample Number: 211026037-029
 Sample Location: JTAS-WF-LEFT-28 Customer Sample Number:
 Sampled By: D. Diaz
 Sample Date/Time: 3/11/2022 6:44

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	16:39	JGW	2	1

Sample Matrix: Drinking Water		Lab Sample Number: 211026037-031							
Sample Location: JTAS-WF-LEFT-30		Customer Sample Number:							
Sampled By: D. Diaz									
Sample Date/Time: 3/11/2022 6:46									
Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	16:45	JGW	2	1

Sample Matrix: Drinking Water		Lab Sample Number: 211026037-032							
Sample Location: JTAS-WF-RIGHT-31		Customer Sample Number:							
Sampled By: D. Diaz									
Sample Date/Time: 3/11/2022 6:47									
Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	16:50	JGW	2	1

NJ Lab ID# 14013 (Dover)
 NJ Lab ID# 13033 (Marlboro)

** Result does not meet NJDEP Limits.
 NJDEP Limit for free and/or total chlorine does not apply to non-chlorinated samples.
 Any method followed by an asterisk (*) was analyzed by the Agra-Marlboro laboratory.
 All other methods, unless otherwise specified, were analyzed by the Agra-Dover laboratory.

I certify that these samples were analyzed in accordance with procedures approved by the New Jersey Department of Environmental Protection.

Susan VanVeen
 Susan VanVeen, Laboratory Manager

March 22, 2022



CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

2111260
211026037

Customer Name: Jefferson Township BOE
 Location: 121 B East Shawnee Trail, Wharton
 Address: 31 NJ-181
 Lake Hopatcong, NJ, 07849
 Customer Contact: Nick
 Phone: Work/Cell 973-663-5780 / 973-214-6997

Report to: Jefferson Township BOE
 31 NJ-181
 Lake Hopatcong, NJ, 07849
 jjahnke@jefftwp.org

Agra Environmental Services
 90 1/2 West Blackwell Street
 Dover, NJ 07801
 Phone: (973) 989-0010
 Fax: (973) 989-0156

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake Page 1 of 4

Project: Arthur Stanlick Elementary Collection PWSID# for laboratory use only Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl ₂ or PO ₄
211026037-001	Field Blank	3/11/22	0605	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-002	JTAS-BR-SINK ART RM100-1	3/11/22	0606	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-003	JTAS-DWB-RM108-2			X	DW	DW	1	HNO3	Lead-1st Draw	REMOVED	NO SAMPLE
211026037-004	JTAS-DW-RM108-3			X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-005	JTAS-WF-LEFT-4			X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-006	JTAS-WF-RIGHT-5			X	DW	DW	1	HNO3	Lead-1st Draw	REMOVED	NO SAMPLE
211026037-007	JTAS-DWB-RM109-6			X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-008	JTAS-DWB-RM109-7			X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-009	JTAS-NS-SINK1-8			X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-010	JTAS-NS-SINK2-9			X	DW	DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Andrew M. Diaz
 Are these samples for compliance? (circle one): Yes or **No**
 NJDEP Laboratory Certification (Dover, NJ) #14013
 NJDEP Laboratory Certification (Marlboro, NJ) #13033
 Indicate laboratory location where analysis request was performed
 Cooler Temperature Upon Receipt at lab: 0.9°C

Reporting Requirements (Check Box): Standard Other (Specify)
 Sample Custody Exchanges: (Please use full legal signature)
 Relinquished By: [Signature] Received By: [Signature]
 Date: 3/11/22 1200 Date: 3/11/22 1200
 Relinquished By: [Signature] Received By: [Signature]
 Date: 3/11/22 1200 Date: 3/11/22 1200
 Relinquished By: Received By:
 Date: Date:
 Relinquished By: Received By:
 Date: Date:
 Relinquished By: Received By:
 Date: Date:
 Comments: *All bubbles removed * Some water fountains removed
 Is sample known to be hazardous? (circle one) Yes or No



CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

2111026037

Customer Name: Jefferson Township BOE Report to: Jefferson Township BOE
 Location: 121 B East Shawnee Trail, Wharton 31 NJ-181
 Address: 31 NJ-181 Lake Hopatcong, NJ, 07849
 Lake Hopatcong, NJ, 07849 jjahnke@jefftp.org
 Customer Contact: Nick
 Phone: Work/Cell 973-663-5780 / 973-214-6997

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake Page 2 of 4
 Project: Arthur Stanlick Elementary Collection PWSID# for laboratory use only

Sample ID	Location	Date	Time	Grb	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl ₂ or PO ₄
211026037-011	JTAS-NS-BRSINK-10	3/11/22	0617	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-012	JTAS-DW-RM250-11		0618	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-013	JTAS-KC-HW-SINK-12		0619	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-014	JTAS-KC-DW-SINK-13		0620	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-015	JTAS-WF-8R-14		0622	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-016	JTAS-DW-RM107-15		0625	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-017	JTAS-DW-RM105-16		0624	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-018	JTAS-DW-RM105-17			X	DW	DW	1	HNO3	Lead-1st Draw	NO Sample	
211026037-019	JTAS-DW-RM105-18			X	DW	DW	1	HNO3	Lead-1st Draw	NO Sample	
211026037-020	JTAS-DW-RM106-19			X	DW	DW	1	HNO3	Lead-1st Draw	NO Sample	

Sampled By (name/company): D. Dicz, Andrew M / A19
 Are these samples for compliance? (circle one): Yes or **NO**
 NJDEP Laboratory Certification (Dover, NJ) #14013
 NJDEP Laboratory Certification (Marlboro, NJ) #13033
 Reporting Requirements (Check Box): Standard Reduced Other (Specify)
 Cooler Temperature Upon Receipt at lab: 0.9°C

Comments: Bubblers were removed

Relinquished By: [Signature] Date: 3/11/22 Time: 1200 Received By: [Signature] Date: 3/11/22 Time: 1209
 Relinquished By: [Signature] Date: 3/11/22 Time: 1200 Received By: [Signature] Date: 3/11/22 Time: 1209
 Relinquished By: _____ Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____
 Relinquished By: _____ Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____

Is sample known to be hazardous? (circle one) _____ Yes or No



CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

2111026037

Customer Name: Jefferson Township BOE
 Location: 121 B East Shawnee Trail, Wharton
 Address: 31 NJ-181
 Lake Hopatcong, NJ, 07849
 Lake Hopatcong, NJ, 07849
 Lake Hopatcong, NJ, 07849
 Phone: Work/Cell 973-663-5780 / 973-214-6997

Report to: Jefferson Township BOE
 31 NJ-181
 Lake Hopatcong, NJ, 07849
 jjahnke@jefftwp.org

Agra Environmental Services
 90 1/2 West Blackwell Street
 Dover, NJ 07801
 Phone: (973) 989-0010
 Fax: (973) 989-0156

Matrix Abbreviations: DW - Drinking water, GW - Ground Water, RAW-GW - DW RAW GW, WW/NPW - Wastewater, SL - Sludge, P - Pool, L - Lake

Page 3 of 4

Project: Arthur Stanlick Elementary
 Collection PWSID#
 for laboratory use only

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Ch or PO ₄
211026037-021	JTAS-DW-RM106-20	3/11/22	0632	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-022	JTAS-DWB-RM104-21			X	DW	DW	1	HNO3	Lead-1st Draw	10 Sample	
211026037-023	JTAS-DW-RM104-22		0634	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-024	JTAS-WF-LEFT-23		0637	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-025	JTAS-WF-RIGHT-24		0638	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-026	JTAS-TL-DW-RM 302-25		0639	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-027	JTAS-WF-LEFT-26		0642	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-028	JTAS-WF-LEFT-27		0643	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-029	JTAS-WF-LEFT-28		0644	X	DW	DW	1	HNO3	Lead-1st Draw		
211026037-030	JTAS-WF-RIGHT-29			X	DW	DW	1	HNO3	Lead-1st Draw	10 Sample	

Sampled By (name/company): Andrew M. Diaz
 Are these samples for compliance? (circle one): Yes or **No**
 NJDEP Laboratory Certification (Dover, NJ) #14013
 NJDEP Laboratory Certification (Marlboro, NJ) #13033
 Indicate laboratory location where analysis request was performed
 Cooler Temperature Upon Receipt at lab: 09°C

Reporting Requirements (Check Box):
 Standard Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)
 Relinquished By: Andrew M. Diaz Date: 3/11/22 Time: 1200
 Received By: [Signature] Date: 3/11/22 Time: 1209
 Relinquished By: [Signature] Date: 3/11/22 Time: 1209
 Received By: [Signature] Date: 3/11/22 Time: 1209

Comments: All bubblers removed
 Some water fountains removed

Relinquished By: [Signature] Date: _____ Time: _____
 Received By: [Signature] Date: _____ Time: _____
 Relinquished By: [Signature] Date: _____ Time: _____
 Received By: [Signature] Date: _____ Time: _____

Date Faxed: _____ Invoice Number: _____
 Is sample known to be hazardous? (circle one) _____
 Yes or No



CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

21112200
211026037

Customer Name: Jefferson Township BOE
 Location: 121 B East Shawnee Trail, Wharton
 Address: 31 NJ-181
 Lake Hopatcong, NJ, 07849
 Phone: (973) 989-0010
 Fax: (973) 989-0156

Report to: Jefferson Township BOE
 31 NJ-181
 Lake Hopatcong, NJ, 07849
 jjahnke@jefftp.org

Customer Contact: Nick
 Phone: Work/Cell 973-663-5780 / 973-214-6997

Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Arthur Stanlick Elementary
 Collection: PWSID#
 for laboratory use only

Analyses Requested: pH / Temp Cl₂ or PO₄

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED
025037-031	JTAS-WF-LEFT-30	3/11/22	0646	X	DW	DW	1	H ₂ O ₂	Lead-1st Draw
025037-032	JTAS-WF-RIGHT-31	3/11/22	0647	X	DW	DW	1	H ₂ O ₂	Lead-1st Draw

Indicate laboratory location where analysis request was performed
 NJDEP Laboratory Certification (Dover, NJ) #14013
 NJDEP Laboratory Certification (Marlboro, NJ) #13033
 Cooler Temperature Upon Receipt at lab: 0.9°C

Are these samples for compliance? (circle one): Yes or **No**
 Reporting Requirements (Check Box): Standard Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)
 Relinquished By: *Andrew M. Diaz* Date: 3/11/22 Time: 12:00
 Received By: *[Signature]* Date: 3/11/22 Time: 12:09
 Relinquished By: *[Signature]* Date: _____ Time: _____
 Received By: _____ Date: _____ Time: _____
 Relinquished By: _____ Date: _____ Time: _____
 Received By: _____ Date: _____ Time: _____