CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

220601016

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	Jefferson Twp BOE Building	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
X # 7	HNO_3 250 mL	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
#	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: BOE Bldg Pb Collection PWSID# for laboratory use only Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
220601016-001	Field Blank	6-2-22	0625	X		DW	1	HNO3	Lead-1st Draw		
220601016-002	Kitchen Sink		0614	X		DW	1	HNO3	Lead-1st Draw		
220601016-003	Men's Bathroom		0615	X		DW	1	HNO3	Lead-1st Draw		
220601016-004	Womens Bathroom		0616	X		DW	1	HNO3	Lead-1st Draw		
220601016-005	Public Restroom 1		0620	X		DW	1	HNO3	Lead-1st Draw		
220601016-006	Public Restroom 2		0621	X		DW	1	HNO3	Lead-1st Draw		
220601016-007	Green Room Sink		0622	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): [illegible]

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: NA

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Comments: Preserved at lab with HNO3 6/2 @ 0725

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[illegible]	6-2-22	0705	[illegible]	6/2/22	0815

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

220601016

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	Jefferson Twp BOE Building	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
X 7	HNO_3	pH:	250 mL
#	H_2SO_4	pH:	
#	NaOH	pH:	
#	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: BOE Bldg Pb Collection PWSID# for laboratory use only Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
220601016-001	Field Blank	6-2-22	0605	X		DW	1	HNO3	Lead-1st Draw		
220601016-002	Kitchen Sink		0614	X		DW	1	HNO3	Lead-1st Draw		
220601016-003	Men's Bathroom		0615	X		DW	1	HNO3	Lead-1st Draw		
220601016-004	Womens Bathroom		0616	X		DW	1	HNO3	Lead-1st Draw		
220601016-005	Public Restroom 1		0620	X		DW	1	HNO3	Lead-1st Draw		
220601016-006	Public Restroom 2		0621	X		DW	1	HNO3	Lead-1st Draw		
220601016-007	Green Room Sink		0622	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): [illegible]

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: NA

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Comments: Preserved at lab with HNO3 6/2 @ 0725

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[illegible]	6-2-22	0705	[illegible]	6/2/22	0815

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

Agra

Environmental and Laboratory Services

Dover Location:
90 1/2 West Blackwell St., Dover, NJ 07801
Phone: (973) 989-0010, Fax (973) 989-0156

Marlboro Location:
8A Railroad Ave, Marlboro, NJ 07746
Phone: (732) 308-3500, Fax (732) 308-3503

Analytical Results

Date: May 06, 2022
Client: Jefferson Township BOE
Address: 31 NJ-181
Lake Hopatcong, NJ 07849

PWSID#:
Project Location: 1010 Weldon Road, Oak Ridge

Sample Matrix: Drinking Water
Sample Location: Field Blank
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:15

Lab Sample Number: 220420014-001
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	19:59	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-POE-1
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:17

Lab Sample Number: 220420014-002
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	22:48	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-2
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:20

Lab Sample Number: 220420014-003
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	10.7	µg/L	15	4/26/2022	15:28	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-KC-3
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:22

Lab Sample Number: 220420014-004
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	15:44	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-KC-4
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:23

Lab Sample Number: 220420014-005
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	4.55	µg/L	15	4/26/2022	15:55	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-KC-5
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:24

Lab Sample Number: 220420014-006
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	4.42	µg/L	15	4/26/2022	16:01	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-KC-6
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:25

Lab Sample Number: 220420014-007
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	5.45	µg/L	15	4/26/2022	16:07	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-KC-7
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:26

Lab Sample Number: 220420014-008
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	16:12	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-KC-8
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:28

Lab Sample Number: 220420014-009
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	109 **	µg/L	15	4/29/2022	12:29	JGW	20	10

Sample Matrix: Drinking Water
Sample Location: JTHS-FP-9
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:30

Lab Sample Number: 220420014-010
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	16:18	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-KC-10
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:31

Lab Sample Number: 220420014-011
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	16:23	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-KC-11
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:32

Lab Sample Number: 220420014-012
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.37	µg/L	15	4/26/2022	16:29	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-KC-11A
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:34

Lab Sample Number: 220420014-013
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	15.5 **	µg/L	15	4/29/2022	12:40	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-KC-12
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:35

Lab Sample Number: 220420014-014
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.55	µg/L	15	4/26/2022	16:34	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-KC-13
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:36

Lab Sample Number: 220420014-015
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	16:40	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-KC-14
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:37

Lab Sample Number: 220420014-016
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	17:02	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-KC-15
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:38

Lab Sample Number: 220420014-017
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	17:40	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-16
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:40

Lab Sample Number: 220420014-018
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	17:45	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-NS-18
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:41

Lab Sample Number: 220420014-020
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	17:51	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-CT-19-01
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:42

Lab Sample Number: 220420014-021
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	17:57	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-CT-20-02
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:43

Lab Sample Number: 220420014-022
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	6.53	µg/L	15	4/29/2022	12:46	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-CT-21-03
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:44

Lab Sample Number: 220420014-023
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	18:02	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-CT-22-04
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:45

Lab Sample Number: 220420014-024
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	18:08	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-CT-23-05
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:46

Lab Sample Number: 220420014-025
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	18:13	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-CT-24-06
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:47

Lab Sample Number: 220420014-026
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	18:30	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-CT-25-07
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:48

Lab Sample Number: 220420014-027
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	18:41	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-26-01
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:50

Lab Sample Number: 220420014-028
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	18:47	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-27-02
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:51

Lab Sample Number: 220420014-029
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	18:52	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-27A-01
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:53

Lab Sample Number: 220420014-030
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	18:58	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-27B-02
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:54

Lab Sample Number: 220420014-031
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	19:03	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-28-01
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:56

Lab Sample Number: 220420014-032
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	19:09	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-29-02
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:57

Lab Sample Number: 220420014-033
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	3.77	µg/L	15	4/29/2022	12:51	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-30-03
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:58

Lab Sample Number: 220420014-034
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	19:15	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-31-04
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 7:59

Lab Sample Number: 220420014-035
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	3.53	µg/L	15	4/26/2022	19:20	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-TL-34
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 8:00

Lab Sample Number: 220420014-038
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.89	µg/L	15	4/26/2022	19:26	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-37
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 8:02

Lab Sample Number: 220420014-041
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	19:48	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-38
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 8:03

Lab Sample Number: 220420014-042
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	20:20	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-39-02
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 8:05

Lab Sample Number: 220420014-044
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	20:26	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-40
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 8:07

Lab Sample Number: 220420014-045
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	20:32	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-42
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 8:09

Lab Sample Number: 220420014-047
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/29/2022	12:57	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-43
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 8:10

Lab Sample Number: 220420014-048
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	20:37	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-TL-44
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 8:12

Lab Sample Number: 220420014-049
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	20:43	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-45-01
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 8:13

Lab Sample Number: 220420014-050
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	20:48	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-45-02
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 8:14

Lab Sample Number: 220420014-051
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.04	µg/L	15	4/26/2022	20:54	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-DW-GUIDANCE-46
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 8:19

Lab Sample Number: 220420014-055
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	21:11	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTHS-TRAINER-IM-51
Sampled By: A. Mooney
Sample Date/Time: 4/21/2022 8:21

Lab Sample Number: 220420014-060
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	4/26/2022	21:22	JGW	2	1

Jefferson Township BOE

NJ Lab ID# 14013 (Dover)
NJ Lab ID# 13033 (Marlboro)

** Result does not meet NJDEP Limits.

NJDEP Limit for free and/or total chlorine does not apply to non-chlorinated samples.

Any method followed by an asterisk (*) was analyzed by the Agra-Marlboro laboratory.

All other methods, unless otherwise specified, were analyzed by the Agra-Dover laboratory.

I certify that these samples were analyzed in accordance with procedures approved by the New Jersey Department of Environmental Protection.

Susan VanVeen

Susan VanVeen, Laboratory Manager

May 06, 2022

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

220420014

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	1010 Weldon Road, Oak Ridge	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
# 96	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
#	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Jefferson Twp High School Collection PWSID# for laboratory use only Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
220420014-001	Field Blank	4/21/22	0715	X		DW	1	HNO3	Lead-1st Draw		
220420014-002	JTHS-POE-1		0715	X		DW	1	HNO3	Lead-1st Draw		
220420014-003	JTHS-DW-2		0720	X		DW	1	HNO3	Lead-1st Draw		
220420014-004	JTHS-KC-3		0722	X		DW	1	HNO3	Lead-1st Draw		
220420014-005	JTHS-KC-4		0723	X		DW	1	HNO3	Lead-1st Draw		
220420014-006	JTHS-KC-5		0724	X		DW	1	HNO3	Lead-1st Draw		
220420014-007	JTHS-KC-6		0725	X		DW	1	HNO3	Lead-1st Draw		
220420014-008	JTHS-KC-7		0726	X		DW	1	HNO3	Lead-1st Draw		
220420014-009	JTHS-KC-8		0729	X		DW	1	HNO3	Lead-1st Draw		
220420014-010	JTHS-FP-9		0730	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): [illegible]

Are these samples for compliance? (circle one): Yes or No

Indicate laboratory location where analysis request was performed

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Cooler Temperature Upon Receipt at lab: 0.5°C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	4/21/22	1311	[signature]	4/21/22	1319
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Comments: All sample pg 1-6 were pres w/ HNO3 @ 1310 4/21/22 by Andrew Mooney at lab

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

220420014

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	1010 Weldon Road, Oak Ridge	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:
#	HCl Vials	pH:
#	$Na_2S_2O_3$	Cl_2:
#	HNO_3	pH:
#	H_2SO_4	pH:
#	NaOH	pH:
#	unpreserved	
#	other	
#	other	

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Jefferson Twp High School Collection PWSID#

for laboratory use only

Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
220420014-011	JTHS-KC-10	4/12/22	[illegible]	X		DW	1	HNO3	Lead-1st Draw		
220420014-012	JTHS-KC-11		[illegible]	X		DW	1	HNO3	Lead-1st Draw		
220420014-013	JTHS-KC-11A		[illegible]	X		DW	1	HNO3	Lead-1st Draw		
220420014-014	JTHS-KC-12		[illegible]	X		DW	1	HNO3	Lead-1st Draw		
220420014-015	JTHS-KC-13		0736	X		DW	1	HNO3	Lead-1st Draw		
220420014-016	JTHS-KC-14		[illegible]	X		DW	1	HNO3	Lead-1st Draw		
220420014-017	JTHS-KC-15		0738	X		DW	1	HNO3	Lead-1st Draw		
220420014-018	JTHS-DW-16		[illegible]	X		DW	1	HNO3	Lead-1st Draw		
220420014-019	~~JTHS-DW-17~~ Voided			X		DW	1	HNO3	Lead-1st Draw		
220420014-020	JTHS-NS-18		[illegible]	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): [illegible]

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: 0.5C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Comments: DW-17 was voided

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	4/12/22	[illegible]	[signature]	4/12/22	13:19
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

220420014

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	1010 Weldon Road, Oak Ridge	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
#	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
#	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Jefferson Twp High School Collection PWSID# for laboratory use only

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
220420014-021	JTHS-CT-19-01	4/21/22	0742	X		DW	1	HNO3	Lead-1st Draw		
220420014-022	JTHS-CT-20-02		0745	X		DW	1	HNO3	Lead-1st Draw		
220420014-023	JTHS-CT-21-03		0744	X		DW	1	HNO3	Lead-1st Draw		
220420014-024	JTHS-CT-22-04		0745	X		DW	1	HNO3	Lead-1st Draw		
220420014-025	JTHS-CT-23-05		0746	X		DW	1	HNO3	Lead-1st Draw		
220420014-026	JTHS-CT-24-06		0747	X		DW	1	HNO3	Lead-1st Draw		
220420014-027	JTHS-CT-25-07		0748	X		DW	1	HNO3	Lead-1st Draw		
220420014-028	JTHS-DW-26-01		0750	X		DW	1	HNO3	Lead-1st Draw		
220420014-029	JTHS-DW-27-02		0751	X		DW	1	HNO3	Lead-1st Draw		
220420014-030	JTHS-DW-27A-01		0753	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Andrew Nagy

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: 0.5°

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Comments:

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
	4/21/22	1530		4/21/22	1239

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

220420014

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	1010 Weldon Road, Oak Ridge	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
#	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
#	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Jefferson Twp High School Collection PWSID# for laboratory use only Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
220420014-031	JTHS-DW-27B-02			X		DW	1	HNO3	Lead-1st Draw		
220420014-032	JTHS-DW-28-01			X		DW	1	HNO3	Lead-1st Draw		
220420014-033	JTHS-DW-29-02			X		DW	1	HNO3	Lead-1st Draw		
220420014-034	JTHS-DW-30-03			X		DW	1	HNO3	Lead-1st Draw		
220420014-035	JTHS-DW-31-04			X		DW	1	HNO3	Lead-1st Draw		
220420014-036	~~JTHS-DW-32-01~~ Removed			X		DW	1	HNO3	Lead-1st Draw		
220420014-037	~~JTHS-DW-33-02~~ Removed			X		DW	1	HNO3	Lead-1st Draw		
220420014-038	JTHS-TL-34			X		DW	1	HNO3	Lead-1st Draw		
220420014-039	~~JTHS-DW-35~~			X		DW	1	HNO3	Lead-1st Draw		
220420014-040	~~JTHS-DW-36~~			X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Are these samples for compliance? (circle one): Yes or No

Indicate laboratory location where analysis request was performed

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Cooler Temperature Upon Receipt at lab: 2.5°C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Comments: DW-32 DW-33 are removed DW-35, DW-36 out of order

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

220420014

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	1010 Weldon Road, Oak Ridge	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

Asc./HCl Vials pH: HCl Vials pH: $Na_2S_2O_3$ Cl_2: HNO_3 pH: H_2SO_4 pH: NaOH pH: unpreserved other other

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Jefferson Twp High School

Collection PWSID# for laboratory use only

Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
220420014-041	JTHS-DW-37			X		DW	1	HNO3	Lead-1st Draw		
220420014-042	JTHS-DW-38			X		DW	1	HNO3	Lead-1st Draw		
220420014-043	~~JTHS-DW-39-01~~ Removed			X		DW	1	HNO3	~~Lead-1st Draw~~		
220420014-044	JTHS-DW-39-02			X		DW	1	HNO3	Lead-1st Draw		
220420014-045	JTHS-DW-40			X		DW	1	HNO3	Lead-1st Draw		
220420014-046	~~JTHS-DW-41~~ Removed			X		DW	1	HNO3	Lead-1st Draw		
220420014-047	JTHS-DW-42			X		DW	1	HNO3	Lead-1st Draw		
220420014-048	JTHS-DW-43			X		DW	1	HNO3	Lead-1st Draw		
220420014-049	JTHS-TL-44			X		DW	1	HNO3	Lead-1st Draw		
220420014-050	JTHS-DW-45-01			X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company):

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: 0.5°C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
	4/21/22	811		4/21/22	1319
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Comments: DW-39-01 removed Overall [illegible]

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

220420014

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	1010 Weldon Road, Oak Ridge	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
#	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
#	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Jefferson Twp High School Collection PWSID# for laboratory use only Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
220420014-051	JTHS-DW-45-02	4/21/22	0829	X		DW	1	HNO3	Lead-1st Draw		
220420014-052	JTHS-FC-17A		—	X		DW	1	HNO3	Lead-1st Draw		
220420014-053	JTHS-FC-38A		—	X		DW	1	HNO3	Lead-1st Draw	No samples	
220420014-054	JTHS-DW-40-02		—	X		DW	1	HNO3	Lead-1st Draw		
220420014-055	JTHS-DW-GUIDANCE-46		0819	X		DW	1	HNO3	Lead-1st Draw		
220420014-056	JTHS-DW-BL-47		—	X		DW	1	HNO3	Lead-1st Draw		
220420014-057	JTHS-DW-GL-01-48		—	X		DW	1	HNO3	Lead-1st Draw		
220420014-058	JTHS-DW-GL-02-49		—	X		DW	1	HNO3	Lead-1st Draw	No samples	
220420014-059	JTHS-KC-IM-50		—	X		DW	1	HNO3	Lead-1st Draw		
220420014-060	JTHS-TRAINER-IM-51		0821	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Andrew P. / Agra

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: 0.5°C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
	4/21/22	1131		4/21/22	1319
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Comments: FC-17A, FC-38A, 40-02, BL-47, GL-01-48, GL-02-49 and KC-IM-50 [illegible]

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

Agra

Environmental and Laboratory Services

Dover Location:
90 1/2 West Blackwell St., Dover, NJ 07801
Phone: (973) 989-0010, Fax (973) 989-0156

Marlboro Location:
8A Railroad Ave, Marlboro, NJ 07746
Phone: (732) 308-3500, Fax (732) 308-3503

Analytical Results

Date: February 28, 2022
Client: Jefferson Township BOE
Address: 31 NJ-181
Lake Hopatcong, NJ 07849

PWSID#:
Project Location: 205 Cozy Lake Road

Sample Matrix: Drinking Water
Sample Location: Field Blank
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:02

Lab Sample Number: 211026039-001
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	2/24/2022	20:14	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-POE-TAP
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:03

Lab Sample Number: 211026039-002
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	18.0 **	µg/L	15	2/24/2022	12:15	JGW	2	1

ıple Matrix: Drinking Water
Sample Location: JTCL-WF-Hall-L-2
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:05

Lab Sample Number: 211026039-003
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	4.29	µg/L	15	2/24/2022	12:21	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-WF-Hall-R-3
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:06

Lab Sample Number: 211026039-004
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
¹-1st Draw	SM3113B	11.4	µg/L	15	2/24/2022	12:26	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-FP-KC-3Baysink-4
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:08

Lab Sample Number: 211026039-005
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	2/24/2022	12:32	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-HW-KC-5
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:09

Lab Sample Number: 211026039-006
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	8.37	µg/L	15	2/24/2022	12:37	JGW	2	1

ıple Matrix: Drinking Water
Sample Location: JTCL-NS-Sink-1-6
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:13

Lab Sample Number: 211026039-007
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	3.94	µg/L	15	2/24/2022	12:43	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-NS-BR-Sink-2-7
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:14

Lab Sample Number: 211026039-008
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
'-1st Draw	SM3113B	< 2.00	µg/L	15	2/24/2022	12:48	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM107-8
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:19

Lab Sample Number: 211026039-009
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	14.6	µg/L	15	2/24/2022	12:54	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DW-RM107-9
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:20

Lab Sample Number: 211026039-010
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	17.1 **	µg/L	15	2/24/2022	13:16	JGW	2	1

ıple Matrix: Drinking Water
Sample Location: JTCL-DWB-RM108-10
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:23

Lab Sample Number: 211026039-011
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	14.7	µg/L	15	2/24/2022	13:21	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DW-RM108-11
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:24

Lab Sample Number: 211026039-012
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
¹-1st Draw	SM3113B	< 2.00	µg/L	15	2/24/2022	13:27	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-WF-Hall-Boys RM-L-12
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:26

Lab Sample Number: 211026039-013
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	2/24/2022	13:32	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-WF-Hall-Girls RM-R-13
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:27

Lab Sample Number: 211026039-014
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	5.23	µg/L	15	2/24/2022	13:38	JGW	2	1

ıple Matrix: Drinking Water
Sample Location: JTCL-DWB-RM109-14
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:33

Lab Sample Number: 211026039-015
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	77.5 **	µg/L	15	2/24/2022	13:49	JGW	2	4

Sample Matrix: Drinking Water
Sample Location: JTCL-DW-RM109-15
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:34

Lab Sample Number: 211026039-016
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
'-1st Draw	SM3113B	2.32	µg/L	15	2/24/2022	13:55	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM110-16
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:35

Lab Sample Number: 211026039-017
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	13.0	µg/L	15	2/24/2022	14:00	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DW-RM110-17
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:36

Lab Sample Number: 211026039-018
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	15.9 **	µg/L	15	2/24/2022	14:22	JGW	2	1

ıple Matrix: Drinking Water
Sample Location: JTCL-DWB-RM101-18
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:39

Lab Sample Number: 211026039-019
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	13.9	µg/L	15	2/24/2022	14:27	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DW-RM101-19
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:40

Lab Sample Number: 211026039-020
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
ł-1st Draw	SM3113B	4.54	µg/L	15	2/24/2022	15:00	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM102-20
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:43

Lab Sample Number: 211026039-021
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	8.80	µg/L	15	2/24/2022	15:05	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM111-22
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:47

Lab Sample Number: 211026039-023
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	3.74	µg/L	15	2/24/2022	15:11	JGW	2	1

ıple Matrix: Drinking Water
Sample Location: JTCL-DW-RM111-23
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:48

Lab Sample Number: 211026039-024
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	5.55	µg/L	15	2/24/2022	15:17	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM112-24
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:52

Lab Sample Number: 211026039-025
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
l-1st Draw	SM3113B	5.06	µg/L	15	2/24/2022	15:22	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM103-26
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:53

Lab Sample Number: 211026039-027
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	7.62	µg/L	15	2/24/2022	15:28	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DW-RM103-27
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:54

Lab Sample Number: 211026039-028
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	2/24/2022	15:44	JGW	2	1

ıple Matrix: Drinking Water
Sample Location: JTCL-DWB-RM104-28
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 6:57

Lab Sample Number: 211026039-029
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.19	µg/L	15	2/24/2022	15:49	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DW-RMB113-30
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:00

Lab Sample Number: 211026039-031
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
ł-1st Draw	SM3113B	16.5 **	µg/L	15	2/24/2022	16:00	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DW-RM113-31
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:01

Lab Sample Number: 211026039-032
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	3.40	µg/L	15	2/24/2022	16:06	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM114-32
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:04

Lab Sample Number: 211026039-033
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	21.4 **	µg/L	15	2/24/2022	16:14	JGW	2	2

ıple Matrix: Drinking Water
Sample Location: JTCL-DW-RM114-33
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:05

Lab Sample Number: 211026039-034
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	5.09	µg/L	15	2/24/2022	16:20	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM105-34
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:09

Lab Sample Number: 211026039-035
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
ı-1st Draw	SM3113B	3.86	µg/L	15	2/24/2022	16:25	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DW-RM105-35
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:10

Lab Sample Number: 211026039-036
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	3.27	µg/L	15	2/24/2022	16:31	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM115-36
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:14

Lab Sample Number: 211026039-037
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	26.8 **	µg/L	15	2/24/2022	16:39	JGW	2	2

nple Matrix: Drinking Water
Sample Location: JTCL-DW-RM115-37
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:15

Lab Sample Number: 211026039-038
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	6.90	µg/L	15	2/24/2022	17:01	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM116-38
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:18

Lab Sample Number: 211026039-039
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
d-1st Draw	SM3113B	53.9 **	µg/L	15	2/24/2022	17:12	JGW	2	4

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM118-40
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:19

Lab Sample Number: 211026039-041
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	2/24/2022	17:18	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM119-42
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:23

Lab Sample Number: 211026039-043
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	31.1 **	µg/L	15	2/24/2022	17:54	JGW	2	2

nple Matrix: Drinking Water
Sample Location: JTCL-DW-RM119-43
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:24

Lab Sample Number: 211026039-044
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.30	µg/L	15	2/24/2022	17:59	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM120-44
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:26

Lab Sample Number: 211026039-045
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
-1st Draw	SM3113B	8.13	µg/L	15	2/24/2022	18:16	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DW-RM120-45
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:27

Lab Sample Number: 211026039-046
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	2/24/2022	18:21	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTCL-DWB-RM117-46
Sampled By: A. Marsico
Sample Date/Time: 2/11/2022 7:28

Lab Sample Number: 211026039-047
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	2/24/2022	18:27	JGW	2	1

Jefferson Township BOE

NJ Lab ID# 14013 (Dover)
NJ Lab ID# 13033 (Marlboro)

** Result does not meet NJDEP Limits.

NJDEP Limit for free and/or total chlorine does not apply to non-chlorinated samples.

Any method followed by an asterisk (*) was analyzed by the Agra-Marlboro laboratory.

All other methods, unless otherwise specified, were analyzed by the Agra-Dover laboratory.

I certify that these samples were analyzed in accordance with procedures approved by the New Jersey Department of Environmental Protection.

Susan VanVeen

Susan VanVeen, Laboratory Manager

February 28, 2022

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211026039

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	205 Cozy Lake Road	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
* 42	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
# 3	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Cozy Lake Elementary Collection PWSID# for laboratory use only Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
211026039-001	Field Blank	0600	2/11/22	X		DW	1	HNO3	Lead-1st Draw		
211026039-002	JTCL-POE-TAP	0603		X		DW	1	HNO3	Lead-1st Draw		
211026039-003	JTCL-WF-Hall-L-2	0605		X		DW	1	HNO3	Lead-1st Draw		
211026039-004	JTCL-WF-Hall-R-3	0608		X		DW	1	HNO3	Lead-1st Draw		
211026039-005	JTCL-FP-KC-3Baysink-4	0609		X		DW	1	HNO3	Lead-1st Draw		
211026039-006	JTCL-HW-KC-5	0614		X		DW	1	HNO3	Lead-1st Draw		
211026039-007	JTCL-NS-Sink-1-6	0613		X		DW	1	HNO3	Lead-1st Draw		
211026039-008	JTCL-NS-BR-Sink-2-7	0614		X		DW	1	HNO3	Lead-1st Draw		
211026039-009	JTCL-DWB-RM107-8	0619		X		DW	1	HNO3	Lead-1st Draw		
211026039-010	JTCL-DW-RM107-9	0620		X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Anthony Marsico/Agra

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: N/A

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Comments: * pres w/ HNO3 [illegible] @1300

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	2/11/22	1244	[signature]	2/11/22	1250
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211026039

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	205 Cozy Lake Road	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
#	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
# ✓	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Cozy Lake Elementary

for laboratory use only

Sample ID	Location	Collection Date	Collection Time (AM/PM)	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	Field Analysis pH / Temp	Field Analysis Cl_2 or PO_4
211026039-011	JTCL-DWB-RM108-10 Drinking	0623	2/10/22	X		DW	1	HNO3	Lead-1st Draw *Slow Drip*		
211026039-012	JTCL-DW-RM108-11	0624		X		DW	1	HNO3	Lead-1st Draw		
211026039-013	JTCL-WF-Hall-Boys RM-L-12	0626		X		DW	1	HNO3	Lead-1st Draw		
211026039-014	JTCL-WF-Hall-Girls RM-R-13	0627		X		DW	1	HNO3	Lead-1st Draw		
211026039-015	JTCL-DWB-RM109-14	0633		X		DW	1	HNO3	Lead-1st Draw		
211026039-016	JTCL-DW-RM109-15	0634		X		DW	1	HNO3	Lead-1st Draw		
211026039-017	JTCL-DWB-RM110-16	0635		X		DW	1	HNO3	Lead-1st Draw		
211026039-018	JTCL-DW-RM110-17	0636		X		DW	1	HNO3	Lead-1st Draw		
211026039-019	JTCL-DWB-RM101-18	0639		X		DW	1	HNO3	Lead-1st Draw		
211026039-020	JTCL-DW-RM101-19	0640		X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Anthony Maccia/Agra

Are these samples for compliance? (circle one): Yes or No

Indicate laboratory location where analysis request was performed

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Cooler Temperature Upon Receipt at lab: N/A

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Comments: *Ex 15# DWB Drinking

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	2/11/22	1244	[signature]	2/11/22	[illegible]

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211026039

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	205 Cozy Lake Road	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
#	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
# 6	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Cozy Lake Elementary Collection PWSID# for laboratory use only Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
211026039-021	JTCL-DWB-RM102-20	2[illegible]-22	0603	X		DW	1	HNO3	Lead-1st Draw		
211026039-022	JTCL-DW-RM102-21		~~[illegible]~~	X		DW	1	HNO3	Lead-1st Draw	No Sample	
211026039-023	JTCL-DWB-RM111-22		0607	X		DW	1	HNO3	Lead-1st Draw		
211026039-024	JTCL-DW-RM111-23		0609	X		DW	1	HNO3	Lead-1st Draw		
211026039-025	JTCL-DWB-RM112-24		0652	X		DW	1	HNO3	Lead-1st Draw		
211026039-026	JTCL-DW-RM112-25			X		DW	1	HNO3	Lead-1st Draw	No Sample	
211026039-027	JTCL-DWB-RM103-26		0653	X		DW	1	HNO3	Lead-1st Draw		
211026039-028	JTCL-DW-RM103-27		0654	X		DW	1	HNO3	Lead-1st Draw		
211026039-029	JTCL-DWB-RM104-28		0657	X		DW	1	HNO3	Lead-1st Draw		
211026039-030	JTCL-DW-RM104-29			X		DW	1	HNO3	Lead-1st Draw	No sample	

Sampled By (name/company): Anthony Mo[illegible]/Agra

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: N/A

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[illegible]	2/11/22	1244	[illegible]	2/11/22	1250
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Comments: [illegible]

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211026039

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	205 Cozy Lake Road	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
#	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
# 16	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Cozy Lake Elementary Collection PWSID# for laboratory use only Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
211026039-031	JTCL-DW-RMB113-30	[illegible]	0700	X		DW	1	HNO3	Lead-1st Draw		
211026039-032	JTCL-DW-RM113-31		0701	X		DW	1	HNO3	Lead-1st Draw		
211026039-033	JTCL-DWB-RM114-32		0704	X		DW	1	HNO3	Lead-1st Draw		
211026039-034	JTCL-DW-RM114-33		0705	X		DW	1	HNO3	Lead-1st Draw		
211026039-035	JTCL-DWB-RM105-34		0709	X		DW	1	HNO3	Lead-1st Draw		
211026039-036	JTCL-DW-RM105-35		[illegible]	X		DW	1	HNO3	Lead-1st Draw		
211026039-037	JTCL-DWB-RM115-36		[illegible]	X		DW	1	HNO3	Lead-1st Draw		
211026039-038	JTCL-DW-RM115-37		[illegible]	X		DW	1	HNO3	Lead-1st Draw		
211026039-039	JTCL-DWB-RM116-38		0718	X		DW	1	HNO3	Lead-1st Draw		
211026039-040	JTCL-DW-RM116-39		[illegible]	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Anthony Marino/AMG

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: N/A

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	2/11/22	1614	[signature]	2/11/22	1650
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Comments: RM114 DW no pressure RM115 DW no pressure

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211026039

Customer Name: Jefferson Township BOE
Location: 205 Cozy Lake Road
Address: 31 NJ-181
Lake Hopatcong, NJ, 07849
Customer Contact: Nick
Phone: Work/Cell 973-663-5780 / 973-214-6997

Report to: Jefferson Township BOE
31 NJ-181
Lake Hopatcong, NJ, 07849
jjahnke@jefftwp.org

Agra Environmental Services
90 ½ West Blackwell Street
Dover, NJ 07801
Phone: (973) 989-0010
Fax: (973) 989-0156

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
#	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
# 16	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Cozy Lake Elementary

Collection PWSID#

for laboratory use only

Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
211026039-041	JTCL-DWB-RM118-40		0714	X		DW	1	HNO3	Lead-1st Draw		
211026039-042	JTCL-DW-RM118-41			X		DW	1	HNO3	Lead-1st Draw No sample		
211026039-043	JTCL-DWB-RM119-42		0723	X		DW	1	HNO3	Lead-1st Draw		
211026039-044	JTCL-DW-RM119-43		0724	X		DW	1	HNO3	Lead-1st Draw		
211026039-045	JTCL-DWB-RM120-44		0726	X		DW	1	HNO3	Lead-1st Draw		
211026039-046	JTCL-DW-RM120-45		0727	X		DW	1	HNO3	Lead-1st Draw		
211026039-047	JTCL-DWB-RM117-46		0729	X		DW	1	HNO3	Lead-1st Draw		
211026039-048	JTCL-DW-RM117-47			X		DW	1	HNO3	Lead-1st Draw No sample		
211026039-049	JTCL-DW-RM115-48			X		DW	1	HNO3	Lead-1st Draw		
211026039-050	JTCL-DW-RM115-49			X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Anthony Martinez/AGA

Are these samples for compliance? (circle one): Yes or (No)

NJDEP Laboratory Certification (Dover, NJ) #14013
NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: N/A

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	2/11/22	1244	[signature]	2/11/22	1450

Comments: Rm 118 Dw did not sample
Rm 119 Dw [illegible]
Rm 7 Dw [illegible] work

Date Faxed _____
Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

Agra

Environmental and Laboratory Services

Dover Location:
90 1/2 West Blackwell St., Dover, NJ 07801
Phone: (973) 989-0010, Fax (973) 989-0156

Marlboro Location:
8A Railroad Ave, Marlboro, NJ 07746
Phone: (732) 308-3500, Fax (732) 308-3503

Analytical Results

Date: February 18, 2022
Client: Jefferson Township BOE
Address: 31 NJ-181
Lake Hopatcong, NJ 07849

PWSID#:
Project Location: 2 Francine Place, Oak Ridge

Sample Matrix: Drinking Water
Sample Location: Field Blank
Sampled By: C. Anzolut
Sample Date/Time: 2/2/2022 6:07

Lab Sample Number: 220201007-001
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	2/11/2022	22:40	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTWR-POE-AWING-KC-3BAY SINK LEFT-1
Sampled By: C. Anzolut
Sample Date/Time: 2/2/2022 6:08

Lab Sample Number: 220201007-002
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	11.9	µg/L	15	2/11/2022	20:23	JGW	2	1

S ie Matrix: Drinking Water
Sample Location: JTWR-TL-DW-6
Sampled By: C. Anzolut
Sample Date/Time: 2/2/2022 6:15

Lab Sample Number: 220201007-007
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	3.05	µg/L	15	2/11/2022	21:05	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTWR-RMA14-DW-8
Sampled By: C. Anzolut
Sample Date/Time: 2/2/2022 6:20

Lab Sample Number: 220201007-009
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
L st Draw	SM3113B	13.4	µg/L	15	2/11/2022	21:16	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTWR-RMA12-AWING-DW-10
Sampled By: C. Anzolut
Sample Date/Time: 2/2/2022 6:23

Lab Sample Number: 220201007-011
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	19.2 **	µg/L	15	2/11/2022	21:22	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTWR-RMA10-AWING-DW-12
Sampled By: C. Anzolut
Sample Date/Time: 2/2/2022 6:29

Lab Sample Number: 220201007-013
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	6.71	µg/L	15	2/11/2022	21:27	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTWR-HT-BREEZY HALL-LEFT-WF-18
Sampled By: C. Anzolut
Sample Date/Time: 2/2/2022 6:21

Lab Sample Number: 220201007-019
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	2/11/2022	22:17	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTWR-HT-BREEZY HALL-RIGHT-WF-19
Sampled By: C. Anzolut
Sample Date/Time: 2/2/2022 6:20

Lab Sample Number: 220201007-020
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	5.45	µg/L	15	2/11/2022	22:23	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTWR-HT-BREEZY HALL-LEFT-BF2
Sampled By: C. Anzolut
Sample Date/Time: 2/2/2022 6:13

Lab Sample Number: 220201007-021
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	2/11/2022	22:28	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTWR-CWING-HALL CHILLER
Sampled By: C. Anzolut
Sample Date/Time: 2/2/2022 6:52

Lab Sample Number: 220201007-022
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	2/11/2022	23:02	JGW	2	1

Jefferson Township BOE

NJ Lab ID# 14013 (Dover)

NJ Lab ID# 13033 (Marlboro)

** Result does not meet NJDEP Limits.

NJDEP Limit for free and/or total chlorine does not apply to non-chlorinated samples.

Any method followed by an asterisk (*) was analyzed by the Agra-Marlboro laboratory.

All other methods, unless otherwise specified, were analyzed by the Agra-Dover laboratory.

I certify that these samples were analyzed in accordance with procedures approved by the New Jersey Department of Environmental Protection.

Susan VanVeen

Susan VanVeen, Laboratory Manager

February 18, 2022

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

22020.

Customer Name: Jefferson Township BOE
Location: 2 Francine Place, Oak Ridge
Address: 31 NJ-181
Lake Hopatcong, NJ, 07849
Customer Contact: Nick
Phone: Work/Cell 973-663-5780 / 973-214-6997

Report to: Jefferson Township BOE
31 NJ-181
Lake Hopatcong, NJ, 07849
jjahnke@jefftwp.org

Agra Environmental Services
90 ½ West Blackwell Street
Dover, NJ 07801
Phone: (973) 989-0010
Fax: (973) 989-0156

#	Asc/HCl Vials	pH:
#	HCl Vials	pH:
#	$Na_2S_2O_3$	Cl:
#	~~HNO3~~	~~pH:~~
#	H_2SO_4	pH:
#	NaOH	pH:
#	unpreserved	
#	other	
#	other	

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: White Rock Elementary

for laboratory use only

Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
0201007-011	JTWR-RMA12-AWING-DW-10	2/2/22	0623	X		DW	1	HNO3	Lead-1st Draw		
0201007-012	JTWR-RMA10-AWING-DWB-11	out of Service		X		DW	1	HNO3	Lead-1st Draw		
0201007-013	JTWR-RMA10-AWING-DW-12		0625	X		DW	1	HNO3	Lead-1st Draw		
0201007-014	JTWR-BWING-COM. LAB-WF-13		0630	X		DW	1	HNO3	Lead-1st Draw		
0201007-015	JTWR-BWING-G&B-LEFT WF-14		0636	X		DW	1	HNO3	Lead-1st Draw		
0201007-016	JTWR-BWING-G&B-RIGHT-WF-		0636	X		DW	1	HNO3	Lead-1st Draw		
0201007-017	JTWR-BWING-BREEZY HALL-LEF		0646	X		DW	1	HNO3	Lead-1st Draw		
0201007-018	JTWR-BING BREEZY HALL-RIGH	out of Service		X		DW	1	HNO3	Lead-1st Draw		
0201007-019	JTWR-HT-BREEZY HALL-LEFT-W		0624	X		DW	1	HNO3	Lead-1st Draw		
0201007-020	JTWR-HT-BREEZY HALL-RIGHT-		0620	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Bungolet/Agra

Are these samples for compliance? (circle one): Yes or (No)

NJDEP Laboratory Certification (Dover, NJ) #14013
NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: N/A

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Comments:

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	2/2/22	1602	[signature]	2/2/22	1700
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Date Faxed _____
Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

Agra

Environmental and Laboratory Services

Dover Location:
90 1/2 West Blackwell St., Dover, NJ 07801
Phone: (973) 989-0010, Fax (973) 989-0156

Marlboro Location:
8A Railroad Ave, Marlboro, NJ 07746
Phone: (732) 308-3500, Fax (732) 308-3503

Analytical Results

Date: February 01, 2022
Client: Jefferson Township BOE
Address: 31 NJ-181
Lake Hopatcong, NJ 07849

PWSID#:
Project Location: 1000 Weldon Road, Oak Ridge

Sample Matrix: Drinking Water
Sample Location: Field Blank
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 5:25

Lab Sample Number: 211027017-001
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	1/27/2022	14:34	BM	2	1

Sample Matrix: Drinking Water
Sample Location: JTMS-POE-01
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 5:26

Lab Sample Number: 211027017-002
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	4.10	µg/L	15	1/27/2022	14:56	BM	2	1

S[illegible]e Matrix: Drinking Water
Sample Location: JTMS-CT-06-02
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 5:35

Lab Sample Number: 211027017-008
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	5.32	µg/L	15	1/27/2022	15:23	BM	2	1

Sample Matrix: Drinking Water
Sample Location: JTMS-CT-07-03
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 5:36

Lab Sample Number: 211027017-009
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
L[illegible]st Draw	SM3113B	< 2.00	µg/L	15	1/27/2022	15:28	BM	2	1

Sample Matrix: Drinking Water
Sample Location: JTMS-CT-08-04
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 5:36

Lab Sample Number: 211027017-010
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	1/27/2022	15:34	BM	2	1

Sample Matrix: Drinking Water
Sample Location: JTMS-CT-09-05
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 5:37

Lab Sample Number: 211027017-011
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	1/27/2022	15:56	BM	2	1

Jefferson Township BOE

Sample Matrix: Drinking Water
Sample Location: JTMS-DW-14-03
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 5:50

Lab Sample Number: 211027017-016
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	4.32	µg/L	15	1/27/2022	16:31	BM	2	1

Sample Matrix: Drinking Water
Sample Location: JTMS-DW-16
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 6:12

Lab Sample Number: 211027017-018
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.50	µg/L	15	1/27/2022	16:37	BM	2	1

Sample Matrix: Drinking Water
Sample Location: JTMS-DW-17-01
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 6:22

Lab Sample Number: 211027017-019
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	7.25	µg/L	15	1/27/2022	16:59	BM	2	1

Sample Matrix: Drinking Water
Sample Location: JTMS-DW-18-02
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 6:22

Lab Sample Number: 211027017-020
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	7.87	µg/L	15	1/27/2022	17:05	BM	2	1

ple Matrix: Drinking Water
Sample Location: Kitchen Front Sink
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 6:48

Lab Sample Number: 211027017-028
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	3.49	µg/L	15	1/27/2022	17:59	BM	2	1

Sample Matrix: Drinking Water
Sample Location: Kitchen HW Sink
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 6:48

Lab Sample Number: 211027017-029
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
1st Draw	SM3113B	3.33	µg/L	15	1/27/2022	18:04	BM	2	1

Sample Matrix: Drinking Water
Sample Location: Kitchen 3 Bay L
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 6:48

Lab Sample Number: 211027017-030
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	3.24	µg/L	15	1/27/2022	18:21	BM	2	1

Sample Matrix: Drinking Water
Sample Location: Kitchen 3 Bay R
Sampled By: C. Anzolut
Sample Date/Time: 1/18/2022 6:48

Lab Sample Number: 211027017-031
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	1/27/2022	18:26	BM	2	1

Jefferson Township BOE

NJ Lab ID# 14013 (Dover)

NJ Lab ID# 13033 (Marlboro)

** Result does not meet NJDEP Limits.

NJDEP Limit for free and/or total chlorine does not apply to non-chlorinated samples.

Any method followed by an asterisk (*) was analyzed by the Agra-Marlboro laboratory.

All other methods, unless otherwise specified, were analyzed by the Agra-Dover laboratory.

I certify that these samples were analyzed in accordance with procedures approved by the New Jersey Department of Environmental Protection.

Susan VanVeen

Susan VanVeen, Laboratory Manager

February 01, 2022

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211027017

Customer Name: Jefferson Township BOE
Location: 1000 Weldon Road, Oak Ridge
Address: 31 NJ-181
Lake Hopatcong, NJ, 07849
Customer Contact: Nick
Phone: Work/Cell 973-663-5780 / 973-214-6997

Report to: Jefferson Township BOE
31 NJ-181
Lake Hopatcong, NJ, 07849
jjahnke@jefftwp.org

Agra Environmental Services
90 ½ West Blackwell Street
Dover, NJ 07801
Phone: (973) 989-0010
Fax: (973) 989-0156

Asc./HCl Vials pH:
HCl Vials pH:
$Na_2S_2O_3$ Cl_2:
HNO_3 pH:
H_2SO_4 pH:
NaOH pH:
unpreserved
other
other

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Jefferson Twp Middle School

for laboratory use only

Sample ID	Location	Collection Date	Collection Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	Field Analysis pH / Temp	Field Analysis Cl_2 or PO_4
211027017-011	JTMS-CT-09-05 Kit 5	1/18/22	0537	X		DW	1	HNO3	Lead-1st Draw		
211027017-012	JTMS-CT-10-06 Island	1/18/22	0537	X		DW	1	HNO3	Lead-1st Draw		
211027017-013	JTMS-CT-11-07 by Refrig		0538	X		DW	1	HNO3	Lead-1st Draw		
211027017-014	JTMS-DW-12-01 R		0550	X		DW	1	HNO3	Lead-1st Draw		
211027017-015	JTMS-DW-13-02 M		0550	X		DW	1	HNO3	Lead-1st Draw		
211027017-016	JTMS-DW-14-03		0550	X		DW	1	HNO3	Lead-1st Draw		
211027017-017	JTMS-DW-15 No Fire		—	X		DW	1	HNO3	Lead-1st Draw		
211027017-018	JTMS-DW-16 Big Bubbler		0612	X		DW	1	HNO3	Lead-1st Draw		
211027017-019	JTMS-DW-17-01 Shiller		0622	X		DW	1	HNO3	Lead-1st Draw		
211027017-020	JTMS-DW-18-02 Bubbler		0622	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): C. Anzolut / Agra

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013
NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: N/A

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Comments:

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	1/18/22	1053	[signature]	1/18/22	1103
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Date Faxed _____
Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211027017

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	1000 Weldon Road, Oak Ridge	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:
#	HCl Vials	pH:
#	$Na_2S_2O_3$	Cl_2:
#	HNO_3	pH:
#	H_2SO_4	pH:
#	NaOH	pH:
#	unpreserved	
#	other	
#	other	

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Jefferson Twp Middle School

for laboratory use only

Sample ID	Location	Collection Date	Collection Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	Field Analysis pH / Temp	Field Analysis Cl_2 or PO_4
211027017-031	Kitchen 3 bay R	1/18/22	0648	X		DW	1	HNO3	Lead-1st Draw		
211027017-032	"A" Hall Boiler Rm Hall Bathr		0630	X		DW	1	HNO3	Lead-1st Draw		
211027017-033	" " Chiller		0630	X		DW	1	HNO3	Lead-1st Draw		
211027017-034	" " BF		0630	X		DW	1	HNO3	Lead-1st Draw		
211027017-035	Main Office Sink		0700	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): C. Angelet / Agra

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: N/A

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Comments:

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
C. Angelet	1/18/22	0957	[illegible]	1/18/22	1100
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

Agra

Environmental and Laboratory Services

Dover Location:
90 1/2 West Blackwell St., Dover, NJ 07801
Phone: (973) 989-0010, Fax (973) 989-0156

Marlboro Location:
8A Railroad Ave, Marlboro, NJ 07746
Phone: (732) 308-3500, Fax (732) 308-3503

Analytical Results

Date: March 22, 2022
Client: Jefferson Township BOE
Address: 31 NJ-181
Lake Hopatcong, NJ 07849

PWSID#:
Project Location: 121 B East Shawnee Trail, Wharton

Sample Matrix: Drinking Water
Sample Location: Field Blank
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:05

Lab Sample Number: 211026037-001
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	13:08	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-BR-SINK ART RM100-1
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:06

Lab Sample Number: 211026037-002
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	117 **	µg/L	15	3/15/2022	13:21	JGW	20	10

ıple Matrix: Drinking Water
Sample Location: JTAS-DW-RM108-3
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:08

Lab Sample Number: 211026037-004
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	15.6 **	µg/L	15	3/15/2022	13:27	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-WF-LEFT-4
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:09

Lab Sample Number: 211026037-005
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
ı-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	13:32	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-DW-RM109-6
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:12

Lab Sample Number: 211026037-007
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	52.8 **	µg/L	15	3/15/2022	13:49	JGW	8	4

Sample Matrix: Drinking Water
Sample Location: JTAS-NS-SINK1-8
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:15

Lab Sample Number: 211026037-009
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	6.86	µg/L	15	3/15/2022	14:05	JGW	2	1

nple Matrix: Drinking Water
Sample Location: JTAS-NS-SINK2-9
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:16

Lab Sample Number: 211026037-010
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	6.74	µg/L	15	3/15/2022	14:11	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-NS-BRSINK-10
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:17

Lab Sample Number: 211026037-011
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
d-1st Draw	SM3113B	2.84	µg/L	15	3/15/2022	14:16	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-DW-RM250-11
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:18

Lab Sample Number: 211026037-012
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	13.3	µg/L	15	3/15/2022	14:27	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-KC-HW-SINK-12
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:19

Lab Sample Number: 211026037-013
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	13.4	µg/L	15	3/15/2022	14:33	JGW	2	1

Jefferson Township BOE

nple Matrix: Drinking Water
Sample Location: JTAS-KC-DW-SINK-13
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:20

Lab Sample Number: 211026037-014
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	8.22	µg/L	15	3/15/2022	14:38	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-WF-BR-14
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:22

Lab Sample Number: 211026037-015
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
d-1st Draw	SM3113B	69.6 **	µg/L	15	3/15/2022	14:55	JGW	8	4

Sample Matrix: Drinking Water
Sample Location: JTAS-DW-RM107-15
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:25

Lab Sample Number: 211026037-016
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	14.4	µg/L	15	3/15/2022	15:00	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-DW-RM105-16
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:26

Lab Sample Number: 211026037-017
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	9.48	µg/L	15	3/15/2022	15:16	JGW	2	1

ımple Matrix: Drinking Water
Sample Location: JTAS-DW-RM106-20
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:32

Lab Sample Number: 211026037-021
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	8.75	µg/L	15	3/15/2022	15:22	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-DW-RM104-22
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:34

Lab Sample Number: 211026037-023
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
·d-1st Draw	SM3113B	20.5 **	µg/L	15	3/15/2022	15:27	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-WF-LEFT-23
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:37

Lab Sample Number: 211026037-024
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	15:33	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-WF-RIGHT-24
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:38

Lab Sample Number: 211026037-025
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	15:39	JGW	2	1

ample Matrix: Drinking Water
Sample Location: JTAS-TL-DW-RM 302-25
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:39

Lab Sample Number: 211026037-026
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.66	µg/L	15	3/15/2022	16:11	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-WF-LEFT-26
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:42

Lab Sample Number: 211026037-027
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
nd-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	16:17	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-WF-RIGHT-27
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:43

Lab Sample Number: 211026037-028
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	16:22	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-WF-LEFT-28
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:44

Lab Sample Number: 211026037-029
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	16:39	JGW	2	1

Jefferson Township BOE

ımple Matrix: Drinking Water
Sample Location: JTAS-WF-LEFT-30
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:46

Lab Sample Number: 211026037-031
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	16:45	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTAS-WF-RIGHT-31
Sampled By: D. Diaz
Sample Date/Time: 3/11/2022 6:47

Lab Sample Number: 211026037-032
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
ıd-1st Draw	SM3113B	< 2.00	µg/L	15	3/15/2022	16:50	JGW	2	1

NJ Lab ID# 14013 (Dover)
NJ Lab ID# 13033 (Marlboro)

** Result does not meet NJDEP Limits.
NJDEP Limit for free and/or total chlorine does not apply to non-chlorinated samples.
Any method followed by an asterisk (*) was analyzed by the Agra-Marlboro laboratory.
All other methods, unless otherwise specified, were analyzed by the Agra-Dover laboratory.

I certify that these samples were analyzed in accordance with procedures approved by the New Jersey Department of Environmental Protection.

Susan VanVeen

Susan VanVeen, Laboratory Manager

March 22, 2022

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211026037

Customer Name: Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location: 121 B East Shawnee Trail, Wharton	31 NJ-181	90 ½ West Blackwell Street
Address: 31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact: Nick		Fax: (973) 989-0156
Phone: Work/Cell 973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
* 24	HNO_3 250 ml	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
#	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Arthur Stanlick Elementary Collection PWSID# for laboratory use only

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	Field Analysis pH / Temp	Field Analysis Cl_2 or PO_4
211026037-001	Field Blank	3/11/22	0605	X		DW	1	HNO3	Lead-1st Draw		
211026037-002	JTAS-BR-SINK ART RM100-1		0606	X		DW	1	HNO3	Lead-1st Draw		
211026037-003	JTAS-DWB-RM108-2		—	X		DW	1	HNO3	Lead-1st Draw Removed	No Sample	
211026037-004	JTAS-DW-RM108-3		0608	X		DW	1	HNO3	Lead-1st Draw		
211026037-005	JTAS-WF-LEFT-4		0609	X		DW	1	HNO3	Lead-1st Draw		
211026037-006	JTAS-WF-RIGHT-5		—	X		DW	1	HNO3	Lead-1st Draw Removed	No Sample	
211026037-007	JTAS-DWB-RM109-6		0612	X		DW	1	HNO3	Lead-1st Draw		
211026037-008	JTAS-DWB-RM109-7		—	X		DW	1	HNO3	Lead-1st Draw		
211026037-009	JTAS-NS-SINK1-8		0615	X		DW	1	HNO3	Lead-1st Draw		
211026037-010	JTAS-NS-SINK2-9		0616	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): D. Diaz, Andrew M Agra

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: 0.9°C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	3/11/22	1200	[signature]	3/11/22	1207
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Comments:
* All bubblers removed *
* Some Water Fountains removed *

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE . .NALYSIS REQUEST

211026037

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	121 B East Shawnee Trail, Wharton	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
#	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
#	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Arthur Stanlick Elementary Collection PWSID# for laboratory use only Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
211026037-011	JTAS-NS-BRSINK-10	3/11/22	0617	X		DW	1	HNO3	Lead-1st Draw		
211026037-012	JTAS-DW-RM250-11		0618	X		DW	1	HNO3	Lead-1st Draw		
211026037-013	JTAS-KC-HW-SINK-12		0619	X		DW	1	HNO3	Lead-1st Draw		
211026037-014	JTAS-KC-DW-SINK-13		0620	X		DW	1	HNO3	Lead-1st Draw		
211026037-015	JTAS-WF-BR-14		0622	X		DW	1	HNO3	Lead-1st Draw		
211026037-016	JTAS-DWB-RM107-15		0625	X		DW	1	HNO3	Lead-1st Draw		
211026037-017	JTAS-DW-RM105-16		0626	X		DW	1	HNO3	Lead-1st Draw		
211026037-018	JTAS-DWB-RM105-17		—	X		DW	1	HNO3	Lead-1st Draw no Sample		
211026037-019	JTAS-DW-RM105-18		—	X		DW	1	HNO3	Lead-1st Draw no Sample		
211026037-020	JTAS-DWB-RM106-19	—	—	X		DW	1	HNO3	Lead-1st Draw no Sample		

Sampled By (name/company): D. Diaz, Andrew M / Agra

Are these samples for compliance? (circle one): Yes or (No)

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: 0.9°C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	3/11/22	1200	[signature]	3/11/22	1209

Comments: Bubblers were removed

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211026037

Customer Name: Jefferson Township BOE
Location: 121 B East Shawnee Trail, Wharton
Address: 31 NJ-181
Lake Hopatcong, NJ, 07849
Customer Contact: Nick
Phone: Work/Cell 973-663-5780 / 973-214-6997

Report to: Jefferson Township BOE
31 NJ-181
Lake Hopatcong, NJ, 07849
jjahnke@jefftwp.org

Agra Environmental Services
90 ½ West Blackwell Street
Dover, NJ 07801
Phone: (973) 989-0010
Fax: (973) 989-0156

#	Asc./HCl Vials	pH:
#	HCl Vials	pH:
#	$Na_2S_2O_3$	Cl_2:
#	HNO_3	pH:
#	H_2SO_4	pH:
#	NaOH	pH:
#	unpreserved	
#	other	
#	other	

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Arthur Stanlick Elementary

Collection PWSID#

for laboratory use only

Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
211026037-021	JTAS-DW-RM106-20	3/11/22	0632	X		DW	1	HNO_3	Lead-1st Draw		
211026037-022	JTAS-DWB-RM104-21		—	X		DW	1	HNO_3	Lead-1st Draw no Sample		
211026037-023	JTAS-DW-RM104-22		0634	X		DW	1	HNO_3	Lead-1st Draw		
211026037-024	JTAS-WF-LEFT-23		0637	X		DW	1	HNO_3	Lead-1st Draw		
211026037-025	JTAS-WF-RIGHT-24		0638	X		DW	1	HNO_3	Lead-1st Draw		
211026037-026	JTAS-TL-DW-RM 302-25		0639	X		DW	1	HNO_3	Lead-1st Draw		
211026037-027	JTAS-WF-LEFT-26		0642	X		DW	1	HNO_3	Lead-1st Draw		
211026037-028	JTAS-WF-LEFT-27		0643	X		DW	1	HNO_3	Lead-1st Draw		
211026037-029	JTAS-WF-LEFT-28		0644	X		DW	1	HNO_3	Lead-1st Draw		
211026037-030	JTAS-WF-RIGHT-29	—	—	X		DW	1	HNO_3	Lead-1st Draw no Sample		

Sampled By (name/company): D. Diaz, Andrew M / Agra

Are these samples for compliance? (circle one): Yes or (No)

NJDEP Laboratory Certification (Dover, NJ) #14013
NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: 0.9°C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	3/11/22	1200	[signature]	3/11/22	1209

Comments: All bubblers removed
Some Water fountains removed

Date Faxed _____
Invoice Number _____

Is sample known to be hazardous? (circle one)
Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211026037

Customer Name: Jefferson Township BOE
Location: 121 B East Shawnee Trail, Wharton
Address: 31 NJ-181
Lake Hopatcong, NJ, 07849

Customer Contact: Nick
Phone: Work/Cell 973-663-5780 / 973-214-6997

Report to: Jefferson Township BOE
31 NJ-181
Lake Hopatcong, NJ, 07849
jjahnke@jefftwp.org

Agra Environmental Services
90 ½ West Blackwell Street
Dover, NJ 07801
Phone: (973) 989-0010
Fax: (973) 989-0156

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
#	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
#	unpreserved		
#	other		
#	other		

x Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

ject: Arthur Stanlick Elementary

Collection PWSID#

for laboratory use only

Field Analysis

mple ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
026037-031	JTAS-WF-LEFT-30	3/11/22	0646	X		DW	1	HNO3	Lead-1st Draw		
026037-032	JTAS-WF-RIGHT-31	"	0647	X		DW	1	HNO3	Lead-1st Draw		

mpled By (name/company): D. Diaz, Andrew M/Agra

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013
NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: 0.9°C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Daniel Diaz	3/11/22	1200	[illegible]	3/11/22	1209
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Comments:

Date Faxed _____
Invoice Number _____

Is sample known to be hazardous? (circle one)
Yes or No

Environmental and Laboratory Services

Dover Location:
90 1/2 West Blackwell St., Dover, NJ 07801
Phone: (973) 989-0010, Fax (973) 989-0156

Marlboro Location:
8A Railroad Ave, Marlboro, NJ 07746
Phone: (732) 308-3500, Fax (732) 308-3503

Analytical Results

Date: March 31, 2022
Client: Jefferson Township BOE
Address: 31 NJ-181
Lake Hopatcong, NJ 07849

PWSID#:
Project Location: 1 Jefferson Drive, Lake Hopatcong

Sample Matrix: Drinking Water
Sample Location: Field Blank
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:20

Lab Sample Number: 211026038-001
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/25/2022	15:49	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-POE-KC-HWS-1
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:21

Lab Sample Number: 211026038-002
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/25/2022	15:54	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-FP-KC-SINK -2
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:22

Lab Sample Number: 211026038-003
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	3.02	µg/L	15	3/25/2022	16:00	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-WF-HALL BY KITCHEN-3
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:23

Lab Sample Number: 211026038-004
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/25/2022	16:05	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-WC-HALL-CHILD STUDY TEAM-4
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:24

Lab Sample Number: 211026038-005
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/25/2022	16:11	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM101-5
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:25

Lab Sample Number: 211026038-006
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	9.99	µg/L	15	3/25/2022	16:16	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-WF-RM102-6
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:26

Lab Sample Number: 211026038-007
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	17.4 **	µg/L	15	3/25/2022	16:22	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-WF-RM106-7
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:27

Lab Sample Number: 211026038-008
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	5.58	µg/L	15	3/25/2022	16:27	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-WF-BY NS-8
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:28

Lab Sample Number: 211026038-009
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	10.2	µg/L	15	3/25/2022	16:50	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-NS-SINK-1-9
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:29

Lab Sample Number: 211026038-010
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.47	µg/L	15	3/25/2022	16:55	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-NS-BATHROOM SINK-2-10
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:30

Lab Sample Number: 211026038-011
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.51	µg/L	15	3/25/2022	17:01	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM109-11
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:31

Lab Sample Number: 211026038-012
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	8.14	µg/L	15	3/25/2022	17:07	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM109-12
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:32

Lab Sample Number: 211026038-013
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	5.26	µg/L	15	3/25/2022	17:12	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM110-14
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:34

Lab Sample Number: 211026038-015
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	17.8 **	µg/L	15	3/25/2022	17:17	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM120-15
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:35
Lab Sample Number: 211026038-016
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	13.4	µg/L	15	3/25/2022	17:23	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM120-16
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:36
Lab Sample Number: 211026038-017
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	4.66	µg/L	15	3/25/2022	17:29	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM121-17
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:37
Lab Sample Number: 211026038-018
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	9.80	µg/L	15	3/25/2022	17:34	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM121-18
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:38
Lab Sample Number: 211026038-019
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	7.36	µg/L	15	3/25/2022	17:40	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM122-19
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:39

Lab Sample Number: 211026038-020
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	3.62	µg/L	15	3/25/2022	18:29	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM122-20
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:40

Lab Sample Number: 211026038-021
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/25/2022	18:35	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM123-21
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:41

Lab Sample Number: 211026038-022
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.36	µg/L	15	3/25/2022	18:40	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM123-22
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:42

Lab Sample Number: 211026038-023
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/25/2022	18:45	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM124-23
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:43

Lab Sample Number: 211026038-024
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	8.64	µg/L	15	3/25/2022	18:51	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM124-24
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:44

Lab Sample Number: 211026038-025
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	7.78	µg/L	15	3/25/2022	18:56	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM111-26
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:46

Lab Sample Number: 211026038-027
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	5.90	µg/L	15	3/25/2022	19:02	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM113-27
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:47

Lab Sample Number: 211026038-028
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	15.2 **	µg/L	15	3/25/2022	19:07	JGW	2	1

ple Matrix: Drinking Water
Sample Location: JTBE-DW-RM113-28
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:48

Lab Sample Number: 211026038-029
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.77	µg/L	15	3/25/2022	19:30	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM112-29
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:49

Lab Sample Number: 211026038-030
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	18.8 **	µg/L	15	3/22/2022	17:02	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM112-30
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:50

Lab Sample Number: 211026038-031
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	5.12	µg/L	15	3/25/2022	19:35	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM114-31
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:51

Lab Sample Number: 211026038-032
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	6.49	µg/L	15	3/25/2022	19:41	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM114-32
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:52

Lab Sample Number: 211026038-033
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	5.74	µg/L	15	3/25/2022	19:47	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM115-33
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:53

Lab Sample Number: 211026038-034
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	11.4	µg/L	15	3/25/2022	19:53	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM115-34
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:54

Lab Sample Number: 211026038-035
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/25/2022	19:58	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM117-35
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:55

Lab Sample Number: 211026038-036
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/25/2022	20:04	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM117-36
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:56

Lab Sample Number: 211026038-037
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	< 2.00	µg/L	15	3/25/2022	20:09	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM119-37
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:57

Lab Sample Number: 211026038-038
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	12.1	µg/L	15	3/25/2022	20:15	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM119-38
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:58

Lab Sample Number: 211026038-039
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	7.49	µg/L	15	3/25/2022	20:21	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM118-39
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 6:59

Lab Sample Number: 211026038-040
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	8.92	µg/L	15	3/25/2022	21:11	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM118-40
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 7:00

Lab Sample Number: 211026038-041
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	5.17	µg/L	15	3/25/2022	21:17	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DWB-RM116-41
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 7:01

Lab Sample Number: 211026038-042
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	2.45	µg/L	15	3/25/2022	21:23	JGW	2	1

Sample Matrix: Drinking Water
Sample Location: JTBE-DW-RM116-42
Sampled By: A. Mooney
Sample Date/Time: 3/16/2022 7:02

Lab Sample Number: 211026038-043
Customer Sample Number:

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Lead-1st Draw	SM3113B	22.7 **	µg/L	15	3/25/2022	21:31	JGW	2	1

NJ Lab ID# 14013 (Dover)
NJ Lab ID# 13033 (Marlboro)

** Result does not meet NJDEP Limits.
NJDEP Limit for free and/or total chlorine does not apply to non-chlorinated samples.
Any method followed by an asterisk (*) was analyzed by the Agra-Marlboro laboratory.
All other methods, unless otherwise specified, were analyzed by the Agra-Dover laboratory.

I certify that these samples were analyzed in accordance with procedures approved by the New Jersey Department of Environmental Protection.

Susan VanVeen
Susan VanVeen, Laboratory Manager

March 31, 2022

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211026038

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	1 Jefferson Drive, Lake Hopatcong	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
#	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
#	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Ellen T. Briggs Elementary Collection PWSID#

for laboratory use only

Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
211026038-001	Field Blank	3/16/22	0620	X		DW	1	HNO3	Lead-1st Draw		
211026038-002	JTBE-POE-KC-HWS-1		0621	X		DW	1	HNO3	Lead-1st Draw		
211026038-003	JTBE-FP-KC-SINK -2		0622	X		DW	1	HNO3	Lead-1st Draw		
211026038-004	JTBE-WF-HALL BY KITCHEN-3		0623	X		DW	1	HNO3	Lead-1st Draw		
211026038-005	JTBE-WC-HALL-CHILD STUDY TE		0624	X		DW	1	HNO3	Lead-1st Draw		
211026038-006	JTBE-DW-RM101-5		0625	X		DW	1	HNO3	Lead-1st Draw		
211026038-007	JTBE-WF-RM102-6		0626	X		DW	1	HNO3	Lead-1st Draw		
211026038-008	JTBE-WF-RM106-7		0627	X		DW	1	HNO3	Lead-1st Draw		
211026038-009	JTBE-WF-BY NS-8		0628	X		DW	1	HNO3	Lead-1st Draw		
211026038-010	JTBE-NS-SINK-1-9		0629	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Andrew P. / Agra

Are these samples for compliance? (circle one): Yes or (No)

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: 0.6°C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	3/16/22	1215	[signature]	3/16/22	1240
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Comments: * pres. w/ HNO_3 @ lab 3/16/22 1230

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211026038

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	1 Jefferson Drive, Lake Hopatcong	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:
#	HCl Vials	pH:
#	$Na_2S_2O_3$	Cl_2:
#	HNO_3	pH:
#	H_2SO_4	pH:
#	NaOH	pH:
#	unpreserved	
#	other	
#	other	

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Ellen T. Briggs Elementary Collection PWSID# for laboratory use only Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
211026038-011	JTBE-NS-BATHROOM SINK-2-10	3/16/22	0630	X		DW	1	HNO3	Lead-1st Draw		
211026038-012	JTBE-DWB-RM109-11		0631	X		DW	1	HNO3	Lead-1st Draw		
211026038-013	JTBE-DW-RM109-12		0632	X		DW	1	HNO3	Lead-1st Draw		
~~211026038-014~~	~~JTBE-DWB-RM110-13~~ Shut off		~~0633~~	X		DW	1	HNO3	Lead-1st Draw No sample		
211026038-015	JTBE-DW-RM110-14		0634	X		DW	1	HNO3	Lead-1st Draw		
211026038-016	JTBE-DWB-RM120-15		0635	X		DW	1	HNO3	Lead-1st Draw		
211026038-017	JTBE-DW-RM120-16		0636	X		DW	1	HNO3	Lead-1st Draw		
211026038-018	JTBE-DWB-RM121-17		0637	X		DW	1	HNO3	Lead-1st Draw		
211026038-019	JTBE-DW-RM121-18		0638	X		DW	1	HNO3	Lead-1st Draw		
211026038-020	JTBE-DWB-RM122-19		0639	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Andrew N / Agra

Are these samples for compliance? (circle one): Yes or No

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: 0.6°C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	3/16/22	1215	[signature]	3/16/22	1270

Comments: Rm 110 DWB was shut off

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211026038

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	1 Jefferson Drive, Lake Hopatcong	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
# 2	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
#	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Ellen T. Briggs Elementary

for laboratory use only

Sample ID	Location	Collection Date	Collection Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	Field Analysis pH / Temp	Field Analysis Cl_2 or PO_4
211026038-021	JTBE-DW-RM122-20	3/16/22	0640	X		DW	1	HNO3	Lead-1st Draw		
211026038-022	JTBE-DWB-RM123-21		0641	X		DW	1	HNO3	Lead-1st Draw		
211026038-023	JTBE-DW-RM123-22		0642	X		DW	1	HNO3	Lead-1st Draw		
211026038-024	JTBE-DWB-RM124-23		0643	X		DW	1	HNO3	Lead-1st Draw		
211026038-025	JTBE-DW-RM124-24		0644	X		DW	1	HNO3	Lead-1st Draw		
211026038-026	~~JTBE-DWB-RM111-25~~ Removed		~~0645~~	X		DW	1	HNO3	Lead-1st Draw No sample		
211026038-027	JTBE-DW-RM111-26		0646	X		DW	1	HNO3	Lead-1st Draw		
211026038-028	JTBE-DWB-RM113-27		0647	X		DW	1	HNO3	Lead-1st Draw		
211026038-029	JTBE-DW-RM113-28		0648	X		DW	1	HNO3	Lead-1st Draw		
211026038-030	JTBE-DWB-RM112-29		0649	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Andrew M / Agra

Are these samples for compliance? (circle one): Yes or No

Indicate laboratory location where analysis request was performed

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Cooler Temperature Upon Receipt at lab: 0.6°C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	3/16/22	1215	[signature]	3/16/22	1240

Comments: RM 111 DW3 was removed

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211026038

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	1 Jefferson Drive, Lake Hopatcong	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

#	Asc./HCl Vials	pH:	
#	HCl Vials	pH:	
#	$Na_2S_2O_3$	Cl_2:	
# 10	HNO_3	pH:	
#	H_2SO_4	pH:	
#	NaOH	pH:	
#	unpreserved		
#	other		
#	other		

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Ellen T. Briggs Elementary Collection PWSID#

for laboratory use only

Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
211026038-031	JTBE-DW-RM112-30	3/16/22	0650	X		DW	1	HNO3	Lead-1st Draw		
211026038-032	JTBE-DWB-RM114-31		0651	X		DW	1	HNO3	Lead-1st Draw		
211026038-033	JTBE-DW-RM114-32		0652	X		DW	1	HNO3	Lead-1st Draw		
211026038-034	JTBE-DWB-RM115-33		0653	X		DW	1	HNO3	Lead-1st Draw		
211026038-035	JTBE-DW-RM115-34		0654	X		DW	1	HNO3	Lead-1st Draw		
211026038-036	JTBE-DWB-RM117-35		0655	X		DW	1	HNO3	Lead-1st Draw		
211026038-037	JTBE-DW-RM117-36		0656	X		DW	1	HNO3	Lead-1st Draw		
211026038-038	JTBE-DWB-RM119-37		0657	X		DW	1	HNO3	Lead-1st Draw		
211026038-039	JTBE-DW-RM119-38		0658	X		DW	1	HNO3	Lead-1st Draw		
211026038-040	JTBE-DWB-RM118-39		0659	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Agra / Andrew M.

Are these samples for compliance? (circle one): Yes or (No)

Indicate laboratory location where analysis request was performed

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Cooler Temperature Upon Receipt at lab: 0.6°C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Comments:

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	3/16/22	1215	[signature]	3/16/22	1240

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No

CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

211026038

Customer Name:	Jefferson Township BOE	Report to: Jefferson Township BOE	Agra Environmental Services
Location:	1 Jefferson Drive, Lake Hopatcong	31 NJ-181	90 ½ West Blackwell Street
Address:	31 NJ-181	Lake Hopatcong, NJ, 07849	Dover, NJ 07801
	Lake Hopatcong, NJ, 07849	jjahnke@jefftwp.org	Phone: (973) 989-0010
Customer Contact:	Nick		Fax: (973) 989-0156
Phone: Work/Cell	973-663-5780 / 973-214-6997		

Asc./HCl Vials pH:
HCl Vials pH:
$Na_2S_2O_3$ Cl_2:
HNO_3 pH:
H_2SO_4 pH:
NaOH pH:
unpreserved
other
other

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake

Project: Ellen T. Briggs Elementary Collection PWSID# for laboratory use only Field Analysis

Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl_2 or PO_4
211026038-041	JTBE-DW-RM118-40	3/16/22	0700	X		DW	1	HNO3	Lead-1st Draw		
211026038-042	JTBE-DWB-RM116-41	/	0701	X		DW	1	HNO3	Lead-1st Draw		
211026038-043	JTBE-DW-RM116-42	/	0702	X		DW	1	HNO3	Lead-1st Draw		

Sampled By (name/company): Andrew M. / Agra

Are these samples for compliance? (circle one): Yes or No

Indicate laboratory location where analysis request was performed

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Cooler Temperature Upon Receipt at lab: 0.6°C

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

Sample Custody Exchanges (Please use full legal signature)

Comments:

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
[signature]	3/16/22	1215	[signature]	3/16/22	1240
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Date Faxed _____

Invoice Number _____

Is sample known to be hazardous? (circle one) Yes or No